

FORM HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 1 of 3

ATTORNEY DOCKET No.	SERIAL NO.
5259-046/NP	10/522831
APPLICANT	
Osamu MORIWAKI,	et al
FILING DATE	GROUP
	·

U.S. P	ATENT DO	CUMENTS				\$
Ref. Desig.	Examiner's Initials	Document Number	Date	Name	Class/ Subclass	(If appropriate) Filing Date
1.						

FORE	IGN PATE	NT DOCUMENTS					1
Ref. Desig.	Examiner's Initials	Document Number	Date	Country	Class/ Subclass	Translation Yes	
1.	/AB/	2001-008244 A	01/12/2001	JP		Abstract	
2.	1	2002-262319 A	09/13/2002	JP		Abstract	
3.		2000-134649	05/12/2000	JP		Abstract	
4.		2002-165238	06/07/2002	JP		Abstract	
5.		2002-300137	10/11/2002	JP		Abstract	11
6.		3020378	01/14/2000	JP		*	
7.	V	06-311108	11/04/1994	JP		Abstract	

^{*} JP 3020378 corresponds to JP 06-311108

OTHE	R DOCUME	NTS (including Author, Title, Date, Pertinent Pages, etc.)
Ref. Desig.	Examiner's Initials	
1.	/AB/	Hideaki OKAYAMA, Takeshi KAMIJOH, and Masato KAWAHARA, "Multi Wavelength Highway Photonic Switches Using Wavelength-Sorting Elements-Design", Journal of Lightwave Technology, Vol. 15, No. 4, April 1997, pages 607 to 615
2.		K. Noguchi, "Scalability of Full-Mesh WDM AWG-STAR Network", IEICE Transactions on Communications, Vol. E86-B, No. 5, pp. 1493-1497, May 2003
3.		K. Kato et al., "32 x 32 Full-Mesh (1024 path) Wavelength Routing WDM Network Based on Uniform Loss Cyclic-Frequency Arrayed-Waveguide Grating", IEE Electron, Lett., Vol. 36, No. 15, pp. 1294-1295, July 2000
4.		K. Kato et al., "10-Tbps Full-Mesh WDM Network Based on Cyclic-Frequency Arrayed- Waveguide Grating Router", ECOC 2000, Vol. 1, pp. 105-107, 2000
5.	V	Y. Sakai, "Full-Mesh Wavelength-Routing WDM Network based on Arrayed-Waveguide Grating", IEEE LEOS Annual Meeting, Vol. 2, ThQ1, pp. 832-833

Examiner: /Agustin Bello/ (09/10/2007) Date Considered:



FORM HDP-1449 (Based on Form PTO-1449)

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 2 of 3

ATTORNEY DOCKET NO.	SERIAL NO.
5259-046/NP	39/522831
APPLICANT	
Osamu MORIWAKI, et	al
FILING DATE	GROUP

Ref. Desig.	Examiner's Initials	
6.	/AB/	Y. Sakai et al., "Management System for Full-Mesh WDM AWG-STAR Network", ECOC 2001, no. We. B. 1. 5, pp. 264-265, 2001
7.		K. Noguchi et al., "Scalability of Full-Mesh WDM AWG-STAR Network", OECC 2002, 10A1-2, pp. 72-73, July 2002
8.		K. Noguchi et al., "The First Field Trial of a Wavelength Routing WDM Full-Mesh Network System (AWG-STAR) in a Metropolitan / Local Area", OFC 2003, THAA5, pp. 611-613, 2003
9.		H. Tanobe et al., "Demonstration of Logical-Topology Reconfiguration in Full-Mesh WDM Networks (AWG-STAR) Based on Wavelength Routing Technology", ECOC 2003, Th2.4.5 2003, February 22, 2004
10.		O. Moriwaki et al., "Reconfigurable Wavelength-Routed Network with N x N AWG Arranged in CWDM Bands for Bandwidth on Demand", OFC 2003, MF90
11.		Y. Sakai et al., "Full-Mesh WDM Network Based on Cyclic-Frequency Arrayed-Waveguide Grating", Technical Report of IEICE, OCS2000-9, pp. 47-52, 2000 (English Abstract)
12.		Y. Sakai et al., "Full-Mesh Wavelength-Routing Network System (AWG-STAR)", Technical Report of IEICE, OCS2001-55, PS2001-26, OFT2001-31, pp. 61-66, 2001 (English Abstract)
13.		K. Noguchi et al., "Scalability of AWG-STAR Network System", Technical Report of IEICE, OCS2001-56, PS2001-27, OFT2001-32, pp. 67-72, 2001 (English Abstract)
14.		K. Noguchi et al., "Full-Mesh-Star Network System with Cyclic Frequency Arrayed Waveguide Grating", Technical Report of IEICE, OCS2001-80, OPE2001-84, LQE2001-78 pp. 47-52, 2001 (English Abstract)
15.		Y. Koike et al., "Field Trial of AWG-STAR Network", Technical Report of IEICE, PS2002-52, pp. 17-22, 2002 (English Abstract)
16.		Y. Koike et al., "A Monitoring and Control for AWG-STAR Network", Technical Report of IEICE, NS2002-195, PS2002-69, pp. 53-56, 2002 (English Abstract)
17.		H. Tanobe et al., "Logical Topology Dynamically-Reconfigurable Network with Wavelength Routing Full-Mesh AWG-STAR Technology", Technical Report of IEICE, NS2002-283, IN2002-256, pp. 133-136, 2003 (English Abstract)
18.		K. Kato et al., "10 Tpbs Full-Mesh WDM Network Based on 32 x 32 Cyclic-Frequency AWG", The Institute of Electronics, Information and Communication Engineers, B-10-1000 p. 475, 2000
19.	\downarrow	K. Tanaka et al., "Wavelength Routing Experiment in WDM Star Network Using a Cyclic Arrayed-Waveguide Grating", The Institute of Electronics, Information and Communication Engineers, B-10-102, p. 477, 2000

Examiner: /Agustin Bello/ (09/10/2007)

Date Considered:



FORM HDP-1449	(Based on Form	PTO-1449
---------------	----------------	----------

PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Sheet 3 of 3

ATTORNEY DOCKET NO.	SERIAL NO.
5259-046/NP	10/522831
APPLICANT	
Osamu MORIWAKI, et	al
FILING DATE	GROUP

Ref. Desig.	Examiner's Initials	
20.	/AB/	K. Sakai et al., "Optical Interface Board for Wavelength Division Multiplexing", The Institute of Electronics, Information and Communication Engineers, B-10-103, p. 478, 2000
21.		K. Noguchi et al., "Transmission Characteristics in Full-Mesh WDM Network Based on Cyblic-Frequency AWG (AWG-STAR)", The Institute of Electronics, Information and Communication Engineers, B-10-118, p. 341, 2000
22.		K. Sakai, et al., "A Study on Full-Mesh WDM Network Topology", The Institute of Electronics, Information and Communication Engineers, B-10-119, p. 342, 2000
23.		K. Noguchi et al., "AWG-STAR Network Based on Grouped Wavelength Path Routing", The Institute of Electronics, Information and Communication Engineers, B-12-2, p. 442, 2002
24.		K. Kato et al., "Full-Mesh Network Based on Cyclic Frequency Arrayed Waveguide Grating", NTT Research and Development, Vol. 49, No. 6, pp. 298-308, 2000 (English Abstract)
25.		K. Tanaka et al., "Scalability of AWGSTAR Optical Network", NTT Research and Development, Vol. 49, No. 6, pp. 318-323, 2000 (English Abstract)
26.		Y. Sakai et al., "Optical Interface Board for Wavelength-Division Multiplexing", NTT Research and Development, Vol. 49, No. 6, pp. 324-330, 2000 (English Abstract)
27.		M. Matsuoka et al., "The Intranet Joint Experiment Using Optical Wavelength Routing Technology is Started", NTT Technical Journal, Vol., 14, No. 10, pp. 50-53, 2002
28.		M. Matsuoka et al., "Wavelength Routing Full-Mesh Network AWG-STAR", NTT Technical Journal, Vol. 14, No. 2, pp. 55-61, 2002
29.		News release, "NTT Develops Logical-Topology Reconfigurable WDM Network System", URL:http://www.ntt.co.jp/news/news03/0309/030917.html, September 17, 2003 (Japanese version)
30.		News release "NTT Develops Logical-Toploloy Reconfigurable WDM Network System", URL:http://www.ntt.co.jp/news/news03e/0309/030917.html, September 17, 2003 (English version)
31.		Press release "The Sale of an AWG Router Which Becomes a Key for a Next-Generation Optical Network is Started.", URL:http://www.nel.co.jp/new/information/2003_03_20/html, March 20, 2003
32.		R. Ramaswami et al., "Optical Networks", p. 340-343, Morgan Kaufmann Publishers Inc., 1998
33.	V	International Search Report for PCT/JP2004/001891; ISA/JP; Dated: 05/24/2004

Examiner:	/Agustin Bello/ (09/10/2007)	Date Considered:



PTO/SB/08a/b (07-05)
Approved for use through 07/31/2006. OMB 0651-0031
tent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Company of the Company o

Complete if Known Substitute for form 1449A/B/PTO 10/522831 Application Number INFORMATION DISCLOSURE February 2, 2005 Filing Date STATEMENT BY APPLICANT First Named Inventor Osamu Moriwaki 2872 Art Unit (Use as many sheets as necessary) Examiner Name Not Yet Assigned Sheet 1 1 5259-000046/US/NP Attorney Docket Number

	U.S. PATENT DOCUMENTS				
Examiner	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where
Initials*	No.1	Number-Kind Code ² (if known)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
/AB/	AA*	US-5,937,117		Ishida et al.	

	FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	ಗ್	
IADI	ВА	JP-10-243424	09-11-1998	Ishida et al.			
/AB/	BB	JP-2004-147035	05-20-2004	Okada et al.		7	

*EXAMINER: initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. * CITE NO.: Those application(s) which are marked with an single asterisk (*) next to the Cite No. are not supplied (under 37 CFR 1.98(a)(2)(iii)) because that application was filed after June 30, 2003 or is available in the IFW. 'Applicant's unique citation designation number (optional). * See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. * Tenter Office that issued the document, by the two-letter code (WIPO Standard ST.3). * For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. * Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. * Applicant is to place a check mark here if English language Translation is attached.

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Τ²	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner Signature /Agustin Bello/ (09/10/2007)	Date Considered
	GAS/sir

^{&#}x27;Applicant's unique citation designation number (optional). 'Applicant is to place a check mark here if English language Translation is attached.